

Rock Support Book Page

version

[English](#)

[German](#)

Sprayed Concrete for Rock Support : 8th edition August 2000

Tom Melbye & Knut Garshol

The definitive guide to sprayed concrete

| | | |
|--|---------|---|
| Index | 241 Kb |  |
| Chapter 1 - Introduction | 70 Kb |  |
| Chapter 2 - Dry Mix method | 45 Kb |  |
| Chapter 3 - Wet Mix method | 260 Kb |  |
| Chapter 4 - New advanced sprayed concrete admixture systems | 186 Kb |  |
| Chapter 5 - Fibres in sprayed concrete | 130 Kb |  |
| Chapter 6 - Durability of sprayed concrete | 48 Kb |  |
| Chapter 7 - Sprayed concrete equipment | 584 Kb |  |
| Chapter 8 - Rock Support design | 249 Kb |  |
| Chapter 9 - Permanent sprayed concrete tunnel linings | 1495 Kb |  |
| Chapter 10 & Chapter 11 - Spraying concrete application guidelines | 471 Kb |  |
| Chapter 12 - Time and Economy | 16 Kb |  |
| Chapter 13 - Outlook: The potential of sprayed concrete applications | 17 Kb |  |

.. Sprayed Concrete for Rock Support - A particular specification : Nick Swannell and Tom Melbye

105 Kb



Address & Back cover

221 Kb

Spritzbeton für die Felssicherung: 8th edition August 2000

Tom Melbye & Knut Garshol

Inhaltsverzeichnis

247 Kb



1 - Einleitung

80 Kb



2 - Das Trockenspritzverfahren

50 Kb



3 - Das Naßspritverfahren

258 Kb



4 - Neue Generationen von Zusatzmittelsystemen für Spritzbeton

182 Kb



5 - Stahlfasern in Spritzbeton

142 Kb



6 - Dauerhaftigkeit von Spritzbeton

57 Kb



7 - Ausrüstung für Spritzbeton

560 Kb



8 - Dimensionierung der Felssicherung

321 Kb



9 - Permanenter Ausbau von Tunneln mit Spritzbeton

1440 Kb



10 & 11 - Spritzverfahren

470 Kb



12 - Zeit und Wirtschaftlichkeit

13 Kb



13 - Ausblick:Mögliche Anwendungsbereiche für Spritzbeton

16 Kb



Anhang: Besondere Richtlinie für Spritzbeton

18 Kb



Address

231 Kb

last updated 3.12.
2001
fjk ugc Intl



[\[Home\]](#) [\[Tunnels\]](#) [\[Mining\]](#) [\[Equipment\]](#)
[\[Contacts\]](#) [\[Reading\]](#)
[\[Links\]](#) [\[News\]](#) [\[E-mail us\]](#) [\[Product & Safety Data\]](#) [\[Site Map\]](#)

| Set | Items | Description |
|-----|--------|---|
| S1 | 125 | CLADDING |
| S2 | 2229 | TUNNEL? OR CAVE? ? |
| S3 | 1166 | MESH? OR WELDMESH? |
| S4 | 264814 | CONCRETE? OR ROCK OR STONE |
| S5 | 324 | WATERPROOF? OR WATER() (PROOF? OR TIGHT) OR WATERTIGHT? |
| S6 | 0 | S1 AND S2 |
| S7 | 3 | S2 AND S3 |
| S8 | 1 | S7 AND (S4 OR S5) |

?show files

File 987:TULSA (Petroleum Abs) 1965-2003/Apr W1

(c)2003 The University of Tulsa

7/3,K/1

DIALOG(R)File 987:TULSA (Petroleum Abs)
(c)2003 The University of Tulsa. All rts. reserv.

00970440 PETROLEUM ABSTRACTS NO.: 708673

NUMERICAL SIMULATIONS OF WIND FORCES ON TROLL B

FURNES G K

NORSK HYDRO ASA

MAR STRUCT V 11, NOS 7-8, PP 273-289, AUG-SEPT 1998 (ISSN 09518339;
COLOR; 5 REFS)

1998

ISSN: 0951-8339

LANGUAGE: ENGLISH

... the "two-equation" renormalization group k-epsilon formulation. The equations are solved on an unstructured **mesh** using a control-volume based technique. The model is forced by prescribing wind velocity and...

... open boundary where the vertical wind profile is designed to fit experimental data from wind **tunnel** tests. A no-slip boundary condition is applied at the sea surface and at the...

... forces are computed for various wind directions. The results are compared with data from wind **tunnel** experiments of Troll B. (c1999 Elsevier Science Ltd...)

7/3,K/2

DIALOG(R)File 987:TULSA (Petroleum Abs)
(c)2003 The University of Tulsa. All rts. reserv.

00934760 PETROLEUM ABSTRACTS NO.: 674428

WIND LOADS ON SHIPS AND OFFSHORE STRUCTURES ESTIMATED BY CFD
(COMPUTATIONAL FLUID DYNAMICS)

AAGE C; LEER-ANDERSEN M; HVID S L; HUGHES P H

DENMARK TECH UNIV; DANISH MARITIME INST; MAN B&W DIESEL A/S

8TH BEHAV OF OFFSHORE STRUCT INT CONF (BOSS 97) (DELFT, NETH, 7/7-10/97)

PROC V 2, PP 237-251; PERGAMON, 1997 (ISBN 0-08-042832-0; 8 REFS)

1997

ISBN: 0-08-042832-0

LANGUAGE: ENGLISH

... semisubmersible offshore platform have been estimated by CFD. The results have been compared with wind **tunnel** model tests and, for the ferry, a few full-scale measurements, and good agreement is...

... CFD method offers the possibility of a computational estimate of scale effects related to wind **tunnel** model testing. An example of such an estimate on the ferry is discussed. Due to the time involved in generating the computational **mesh** and in computing the solution, the CFD method is not at the moment economically competitive to routine wind **tunnel** model testing

7/3,K/3

DIALOG(R)File 987:TULSA (Petroleum Abs)
(c)2003 The University of Tulsa. All rts. reserv.

00641949 PETROLEUM ABSTRACTS NO.: 387367

PIPELINES CROSS NORWEGIAN TRENCH

ENG NEWS-REC V 215, NO 4, PP 22-24, 7/25/85 (ISSN 0013807X)

1985

ISSN: 0013-807X

LANGUAGE: ENGLISH

... deep trench twice. One lands on the rocky western coast of Karmoy Is.

and then **tunnels** under 3 fjords to a processing terminal at Karsto.
Another one emerges from the terminal...

... coated pipes with asphalt reinforced by 3 layers of glass fiber material. Workers wrapped wire **mesh** around the coated pipe and sprayed on 5 in. of concrete. That armor is designed...
?